

DAFTAR PUSTAKA

- [1] Agusta, Y. (2007). K-means–penerapan, permasalahan dan metode terkait. *Jurnal Sistem dan informatika*, 3(1):47–60.
- [2] Al-Khateeb, B. and Yousif, M. (2019). Solving multiple traveling salesman problem by meerkat swarm optimization algorithm. *Journal of Southwest Jiaotong University*, 54(3).
- [3] Al-Omeir, M. A. and Ahmed, Z. H. (2019). Comparative study of crossover operators for the mtsp. In *2019 International Conference on Computer and Information Sciences (ICCIS)*, pages 1–6. IEEE.
- [4] Armanda, R. S. and Mahmudy, W. F. (2016). Penerapan algoritma genetika untuk penentuan batasan fungsi kenggotaan fuzzy tsukamoto pada kasus peramalan permintaan barang. *Jurnal Teknologi Informasi dan Ilmu Komputer (JTIK)*, 3(3):169–173.
- [5] Basuki, A. (2003). Strategi menggunakan algoritma genetika. *Politeknik Elektronika Negeri Surabaya, Surabaya*.
- [6] Google (2022). Google earth. <https://earth.google.com/>. Accessed: 2022-05-03.
- [7] Hardi, S. M., Zarlis, M., and Budiarti, E. (2014). Analisis mapping pada partially mapped crossover dalam algoritma genetika pada travelling salesman problem. *TECHSI-Jurnal Teknik Informatika*, 6(1).
- [8] Hermawanto, D. (2003). Algoritma genetika dan contoh aplikasinya. *Retrieved*, 10(25):2013.
- [9] Kemendikbud (2022). Data refrensi pendidikan. <https://referensi.data.kemdikbud.go.id/index11.php?kode=052000&level=2>. Accessed: 2022-04-19.

- [10] Kluyver, T., Ragan-Kelley, B., Pérez, F., Granger, B., Bussonnier, M., Frederic, J., Kelley, K., Hamrick, J., Grout, J., Corlay, S., Ivanov, P., Avila, D., Abdalla, S., and Willing, C. (2016). Jupyter notebooks – a publishing format for reproducible computational workflows. In Loizides, F. and Schmidt, B., editors, *Positioning and Power in Academic Publishing: Players, Agents and Agendas*, pages 87 – 90. IOS Press.
- [11] Krishna, K. and Murty, M. N. (1999). Genetic k-means algorithm. *IEEE Transactions on Systems, Man, and Cybernetics, Part B (Cybernetics)*, 29(3):433–439.
- [12] Li, L., Zhang, K., Yang, S., and He, J. (2016). Parallel hybrid genetic algorithm for maximum clique problem on opencl. *Journal of Computational and Theoretical Nanoscience*, 13(6):3595–3600.
- [13] Lu, Z., Zhang, K., He, J., and Niu, Y. (2016). Applying k-means clustering and genetic algorithm for solving mtsp. pages 278–284.
- [14] Maii, U. and Bandyopadhyay, S. (2000). Genetic algorithm-based clustering technique. j. *Pattern Recogn*, 33:1455–1465.
- [15] Maulana, G. G. et al. (2017). Pembelajaran dasar algoritma dan pemrograman menggunakan el-goritma berbasis web. *J. Tek. Mesin*, 6(2):8.
- [16] Mayuliana, N. K., Kencana, E. N., and Harini, L. P. I. (2015). Penyelesaian multi traveling salesman problem dengan algoritma genetika. *E-Jurnal Mat*, 6(1):1–6.
- [17] Monalisa, S. (2018). Klasterisasi customer lifetime value dengan model lrfm menggunakan algoritma k-means. *Jurnal Teknologi Informasi dan Ilmu Komputer (JTIK)*, 5(2):247–252.
- [18] Raditya, P. M. R. and Dewi, C. (2017). Optimasi multiple travelling salesman problem (m-tsp) pada penentuan rute optimal penjemputan penumpang travel

menggunakan algoritme genetika. *Jurnal Pengembangan Teknologi Informasi dan Ilmu Komputer e-ISSN*, 2548:964X.

- [19] Retno, S. (2019). Peningkatan akurasi algoritma k-means dengan clustering purity sebagai titik pusat cluster awal (centroid).
- [20] Rovie-Ryan, J., Abdullah, M., Sitam, F., Tan, S., Zainuddin, Z., Basir, M., Abidin, Z., Keliang, C., Denel, A., Joeneh, E., et al. (2014). Genetic diversity of macaca fascicularis (cercopithecidae) from penang, malaysia as inferred from mitochondrial control region segment. *Journal of Indonesian Natural History*, 2(1):14–25.
- [21] Syahrudin, A. N. and Kurniawan, T. (2018). Input dan output pada bahasa pemrograman python. *Jurnal Dasar Pemrograman Python Stmik, January*, pages 1–7.
- [22] Widodo, E. et al. (2018). Penerapan euclidean distance pada pengenalan pola citra sidik jari (studi kasus: Pengenalan pola citra sidik jari berdasarkan tujuh tipe acuan).
- [23] Zhang, K., Yang, S., Qiu, M., et al. (2014). Parallel genetic algorithm with opencl for traveling salesman problem. In *Bio-Inspired Computing-Theories and Applications*, pages 585–590. Springer.